

Practitioner's Docket No. U 013551-2

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **PEDRO SAAVEDRA PACHECO**
Serial No.: 09/903,379
Filed: JULY 11, 2001
For: EOLIC MARINE ELECTRICAL GENERATOR

Group No.: 2834
Examiner: --

Handwritten:
#5
Drawing
Correction
327 or

Assistant Commissioner for Patents
Washington, D. C. 20231

**TRANSMITTAL OF FORMAL DRAWING(S)
PRIOR TO NOTICE OF ALLOWANCE**

Attached please find the formal drawings for this application.

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

- ☒ deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

37 C.F.R. 1.8(a)

37 C.F.R. 1.10*

- ☒ with sufficient postage as first class mail.

☐ as "Express Mail Post Office to Addressee"
Mailing Label No. _____ (mandatory)

TRANSMISSION

- ☐ transmitted by facsimile to the Patent and Trademark Office.

Handwritten signature: Regina Ann Loughran
Signature

Date: October 11, 2001

Regina Ann Loughran
(type or print name of person certifying)


***WARNING:** Each paper or fee filed by "Express Mail" must have the number of the "Express Mail" mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).
"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will **not** be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.

WARNING: "Facsimile transmissions are not permitted and if submitted will not be accorded a date of receipt" for "(4) Drawings submitted under §§ 1.81, 1.83 through 1.85, 1.152, 1.165, 1.174, 1.437...." 37 C.F.R. 1.6(d)(4).

Reg. No. 30958

Tel. No.: (212) 708-1802

Customer No.: 00140


SIGNATURE OF PRACTITIONER

REGINA ANN LOUGHRAN
(type or print name of practitioner)

P.O. Address

c/o Ladas & Parry
26 West 61 Street
New York, N.Y. 10023

NOTE: "Identifying indicia, if provided, should include the application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application. This information should be placed on the back of each sheet of drawings a minimum distance of 1.5 cm. (5/8 inch) down from the top of the page. In addition, a reference to the application number, or, if an application number has not been assigned, the inventor's name, may be included in the left-hand corner, provided that the reference appears within 1.5 cm. (9/16 inch) from the top of the sheet." 37 C.F.R. 1.84(c).

RECEIVED